

# ADVANCE LOGGING CATEGORY





# View Advance LS-2A Series Tires



### **Features & Benefits**

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.
- Integrated rim guard and sidewall protector help keep out debris.

Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
LS-2A	66010G	18.4-26/10	TT TIRE ONLY	18.3	58.1	25	5680	64.3	315.1
LS-2A	66022G	23.1-26/14	TT TIRE ONLY	23.2	64.2	30	9100	66.8	533.08
LS-2A	66024G	23.1-26/16	TT TIRE ONLY	23.2	64.2	35	9810	66.8	534.65
<u>LS-2A</u>	66037G	28L-26/16	TBLS	28.1	64.7	30	10500	69.3	660
LS-2A	66038G	28L-26/20	TBLS	28.1	64.7	35	11400	69.3	674
LS-2A	66039G	28L-26/26	TBLS	28.1	64.7	49	14330	69.3	687
<u>LS-2A</u>	66040G	16.9-30/10	TT TIRE ONLY	16.9	59.4	30	5680	60.5	291.99
LS-2A	66050G	18.4-30/10	TT TIRE ONLY	18.3	62	25	6000	64.3	339.95



Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
LS-2A	66060G	24.5-32/16	TT TIRE ONLY	24.6	72	30	11000	69.9	671.46
<u>LS-2A</u>	66062G	24.5-32/20	TT TIRE ONLY	24.6	72	35	12125	69.9	675.38
LS-2A	66055G	24.5-32/16	TUBELESS	24.6	72	30	11000	69.9	720.1
LS-2A	66063G	24.5-32/20	TBLS	24.5	72.1	41	12786	68	724.34
LS-2A	66092G	18.4-34/12	TT TIRE ONLY	18.3	66.1	30	7150	64.3	384.26

# View Advance LS-2 Series Tires



### Features & Benefits

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.
- Integrated rim guard and sidewall protector helps keep out debris.

Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<u>LS-2</u>	66080G	600/55R26.5	TL	24.1	52.5	73	11400	54	405
<u>LS-2</u>	66071G	30.5L-32/16	TBLS	30.5	72.7	25	11700	69.9	825
<u>LS-2</u>	66077G	30.5L-32/20	TBLS	30.5	72.7	30	13200	69.9	836
<u>LS-2</u>	66078G	30.5L-32/26	TBLS	30.5	72.7	40	15700	69.9	853
<u>LS-2</u>	66079G	30.5L-32/32	TBLS	30.5	72.7	50	17600	69.9	860
<u>LS-2</u>	66052G	35.5L-32/26	TL	35.5	79.2	35	19250	75.6	1073.7
<u>LS-2</u>	66066G	35.5L-32/30	TL	35.5	79.2	40	20900	75.6	1086.44

### View Advance HF-2 Series Tires





#### Features & Benefits

- 23° tread bars provide traction and mobility
- Wide center rib delivers even wear on hard surfaces
- Large air volume allows low inflation pressures for improved flotation
- Wide tread distributes weight across a large contact area for minimal compaction

Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<u>HF-2</u>	66104G	66x43.00-25/20	TL	41.5	67	50	14800	63	864

### View Advance HF-3 Series Tires



### Features & Benefits

- Advanced tread design provides excellent traction and great flotation.
- Advanced tread compound provides excellent puncture resistance.

Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<u>HF-3</u>	66106G	38X18-20/12	TL	18	39	65	7710	31.5	107
<u>HF-3</u>	66108G	35X19-16.1/12	TL	18.5	35.7	65	7000	29	99

#### **View Advance HF-4 Series Tires**



#### Features & Benefits

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.



• Integrated rim guard and sidewall protector help keep out debris.

Individual Data Sheet	SKU	Size	Туре	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<u>HF-4</u>	661000	67x34.00-26/14	TUBELESS	34	68	40	13200	112	1055

SKU: category-advance-logging