NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

SAMSON BIAS TRUCK CATEGORY



SAMSON

View R676 Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
R676	18002-2	7.00-14/8	TBLS	7.3	26.4	60	S1550/D1365	12.6	24.6
R676	18042-2	8.75-16.5/10	TBLS	8.7	29.4	75	S2680/D2360	15.1	44
R676	18053-2	9.50-16.5/12	TBLS	9.5	30.6	90	S3520/D3105	15.1	46.58
R676	18062-2	12-16.5/12	TBLS	12.1	32.2	75	S4045/D3560	16.4	58.46
R676	18072-2	7.50-17/10	TBLS	8.5	33.8	S90/D80	S3170/D2780	13.9	48.74

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
R676	18082-2	8-19.5/10	TBLS	8	33.8	S90/D80	S3195/D2835	13.9	50.67

View OB105 Series Tires



Features & Benefits

- Extra deep cross bar lug.
- Excellent traction for most conditions.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
OB105	80049-2	7.00-14/12	TBLS	7.4	26.8	90	S1980/D1735	24.6	40.79
OB105	85070-2	9.00-16/12	TBLS	10.1	35.6	75	S3840/D3380	20.8	79.81

View RB453 Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction.
- Trailer Use Only

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB453	12500-2	7-14.5/12	TBLS	7.3	26.7	95	2335	8.2	25.3
RB453	12520-2	8-14.5/12	TBLS	8	27.8	95	2835	8.2	27.06

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB453	12530-2	9-14.5/12	TBLS	9.5	28	95	3305	10.1	33.69

View RB-233 Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction.
- Trailer Use Only

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB-233	ST12012-2	ST205/90D15-10	TBLS	7.9	29.6	75	S2335/D2040	13.9	30.73

View RB-233A Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction.
- Trailer Use Only

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB-233A	ST12021-2	ST255/90D16-10	TBLS	8.6	31.8	75	S2755/D2470	13.2	37.49

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB-233A	ST12023-2	ST225/90D16-14	TBLS	8.6	31.8	105	S3420/D3080	13.2	45.28

View R678 Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
R678	33000-2	7.50-20/10	T+ F	8.5	36.8	D80/S90	D3195/S3640	15.1	55.53
R678	33012-2	7.50-20/12	T+ F	8.5	36.8	D95/S105	D3525/S3970	15.1	60.61
R678	62510-2	8.25-20/10	T+ F	9.3	38.3	D75/S85	D3640/S4080	18.9	64.64
R678	62512-2	8.25-20/12	T+ F	9.3	38.3	D90/S100	D3970/S4540	18.9	67.41
R678	62514-2	8.25-20/14	T+ F	9.3	38.3	D105/S115	D4410/S4940	18.9	68.62
R678	70210-2	9.00-20/10	T+ F	10.2	40.1	D870/S80	D4080/S4675	18.9	70.85
R678	70012-2	9.00-20/12	T+ F	10.2	40.1	D85/S95	D4540/S5205	18.9	77.74
R678	70014-2	9.00-20/14	T+ F	10.2	40.1	D100/S110	D5070/S5675	15.7	77.11
R678	30220-2	10.00-20/12	T+ F	10.9	41.5	D75/S85	D4805/S5510	17	88.45
R678	33014-2	10.00-20/14	T+ F	10.9	41.5	D90/S100	D5355/S6175	17	92.61
R678	33016-2	10.00-20/16	T+ F	10.9	41.5	D105/S115	D5840/S6610	17	99.45
R678	33018-2	11.00-20/18	T+ F	11.5	42.7	D122/S132	D6945/S8045	17	108.24
R678	33019-2	12.00-20/20	T+ F	12.4	44.3	D117/S128	D7600/S8820	17.6	126.86
R678	33024-2	12.00-24/20	T+ F	12.4	48.2	D115/S125	D8540/S9920	17.6	144.63

View RB611 Series Tires

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720



Features & Benefits

- Advanced tread compound increases long, even wear
- Enhanced groove design improves wet traction.
- Trailer Use Only

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB611	11203-2	8.25-15/16	T + F	9.3	33.3	S125/D115	S4310/D3790	15.1	56.57
RB611	11205-2	9.00-15/14	T + F	10.2	35.1	S110/D100	S4805/D4190	16	64.16
RB611	11207-2	10.00-15/16	T + F	10.9	36.5	S115/D105	S5675/D4940	18	75.39

View L855 Series Tires



Features & Benefits

- Aggressive cross bar lug.
- Excellent traction for most conditions.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
L855	92555-2	8.25-20/10	T+ F	9.3	38.3	D75/S85	D3640/S4080	18.9	64.42
L855	80055-2	9.00-20/10	T+ F	10.2	40.1	D870/S80	D4080/S4675	18.9	73.94
L855	80070-2	9.00-20/14	T+ F	10.2	40.1	D100/S110	D5070/S5675	18.9	79.86
L855	30055-2	10.00-20/12	T+ F	10.9	41.5	D75/S85	D4805/S5510	22.7	102.01
L855	30060-2	10.00-20/14	T+ F	10.9	41.5	D90/S100	D5355/S6175	22.7	109.53
L855	30070-2	10.00-20/16	T+ F	10.9	41.5	D105/S115	D5840/S6610	22.7	113.31
L855	31118-2	11.00-20/18	T+ F	11.5	42.7	D122/S132	D6945/S8045	20.2	114.64

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
L855	32220-2	12.00-20/20	T+ F	12.4	44.3	D117/S128	D7600/S8820	25.2	139.45
L855	32240-2	12.00-24/20	T+ F	12.4	48.2	D115/S125	D8540/S9920	25.2	160.94

View RB465 Series Tires



Features & Benefits

- Advanced tread compound increases long, even wear.
- Enhanced groove design improves wet traction.
- Trailer Use Only

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
RB465	11095T-2	10.00-20/12	T+ F	10.9	41.5	D75/S85	D4805/S5510	12	79.51
RB465	11099-2	10.00-20/14	T+ F	10.9	41.5	D90/S100	D5355/S6175	12	81.7
RB465	11097-2	11-22.5/12	TBLS	11	41.5	D75/S85	D4805/S5510	12	76.25
RB465	11098-2	11-22.5/14	TBLS	11	41.5	D90/S100	D5355/S6175	12	82.99

View Samson LB-077 Series Tires



Features & Benefits

- Applicable for riding on construction and mining sites.
- Applicable for all positions.
- Special tread compounds for resistance to cuts, chips, tearing and irregular wear.

Office **330.368.4200**
Fax **330.368.4224**

NORTH AMERICAN
COMMERCIAL TIRE RESOURCES INC.
1441 South Main St.
North Canton, Ohio 44720

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
LB-077	44110-2	11.00-20/18	TTF	11.5	43.5	132	8045	25.2	159.1
LB-077	44100-2	12.00-20/18	TTF	12.4	45.1	118	8265	32.8	190.32
LB-077	44105-2	12.00-24/20	TTF	12.4	48.2	125	9900	39.1	244.73

SKU: category-samson-bias-truck

Office **330.368.4200**
Fax **330.368.4224**