

**SAMSON LOGGING CATEGORY**


# SAMSON

[View Samson LS-2A Series Tires](#)

**Features & Benefits**

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.
- Integrated rim guard and sidewall protector help keep out debris.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">LS-2A</a>	66010-2	18.4-26/10	TT TIRE ONLY	18.3	58.1	25	5680	64.3	315.1
<a href="#">LS-2A</a>	66022-2	23.1-26/14	TT TIRE ONLY	23.2	64.2	30	9100	66.8	533.08
<a href="#">LS-2A</a>	66024-2	23.1-26/16	TT TIRE ONLY	23.2	64.2	35	9810	66.8	534.65
<a href="#">LS-2A</a>	66037-2	28L-26/16	TBLS	28.1	64.7	30	10500	69.3	660
<a href="#">LS-2A</a>	66038-2	28L-26/20	TBLS	28.1	64.7	35	11400	69.3	674

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">LS-2A</a>	66039-2	28L-26/26	TBLS	28.1	64.7	49	14330	69.3	687
<a href="#">LS-2A</a>	66040-2	16.9-30/10	TT TIRE ONLY	16.9	59.4	30	5680	60.5	291.99
<a href="#">LS-2A</a>	66050-2	18.4-30/10	TT TIRE ONLY	18.3	62	25	6000	64.3	339.95
<a href="#">LS-2A</a>	66060-2	24.5-32/16	TT TIRE ONLY	24.6	72	30	11000	69.9	671.46
<a href="#">LS-2A</a>	66062-2	24.5-32/20	TT TIRE ONLY	24.6	72	35	12125	69.9	675.38
<a href="#">LS-2A</a>	66055-2	24.5-32/16	TUBELESS	24.6	72	30	11000	69.9	720.1
<a href="#">LS-2A</a>	66063-2	24.5-32/20	TBLS	24.5	72.1	41	12786	68	724.34
<a href="#">LS-2A</a>	66092-2	18.4-34/12	TT TIRE ONLY	18.3	66.1	30	7150	64.3	384.26

[View Samson LS-2 Series Tires](#)



**Features & Benefits**

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.
- Integrated rim guard and sidewall protector helps keep out debris.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">LS-2</a>	66080-2	600/55R26.5	TL	24.1	52.5	73	11400	54	405
<a href="#">LS-2</a>	66071-2	30.5L-32/16	TBLS	30.5	72.7	25	11700	69.9	825
<a href="#">LS-2</a>	66077-2	30.5L-32/20	TBLS	30.5	72.7	30	13200	69.9	836
<a href="#">LS-2</a>	66078-2	30.5L-32/26	TBLS	30.5	72.7	40	15700	69.9	853
<a href="#">LS-2</a>	66079-2	30.5L-32/32	TBLS	30.5	72.7	50	17600	69.9	860
<a href="#">LS-2</a>	66052-2	35.5L-32/26	TL	35.5	79.2	35	19250	75.6	1073.7
<a href="#">LS-2</a>	66066-2	35.5L-32/30	TL	35.5	79.2	40	20900	75.6	1086.44

[View Samson HF-2 Series Tires](#)



**NORTH AMERICAN  
COMMERCIAL TIRE RESOURCES INC.**  
1441 South Main St.  
North Canton, Ohio 44720



#### Features & Benefits

- 23° tread bars provide traction and mobility
- Wide center rib delivers even wear on hard surfaces
- Large air volume allows low inflation pressures for improved flotation
- Wide tread distributes weight across a large contact area for minimal compaction

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">HF-2</a>	66104-2	66x43.00-25/20	TL	41.5	67	50	14800	63	864

[View Samson HF-3 Series Tires](#)



#### Features & Benefits

- Advanced tread design provides excellent traction and great flotation.
- Advanced tread compound provides excellent puncture resistance.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">HF-3</a>	66106-2	38X18-20/12	TL	18	39	65	7710	31.5	107
<a href="#">HF-3</a>	66108-2	35X19-16.1/12	TL	18.5	35.7	65	7000	29	99

[View Samson HF-4 Series Tires](#)



**NORTH AMERICAN  
COMMERCIAL TIRE RESOURCES INC.**  
1441 South Main St.  
North Canton, Ohio 44720



#### Features & Benefits

- Open, large lug design provides excellent pulling capability.
- Steel belted construction for increased resistance to tread chunking and tearing.
- Integrated rim guard and sidewall protector help keep out debris.

Individual Data Sheet	SKU	Size	Type	Section Width	Overall Diameter	Inflation Pressure	Max Load	Tread Depth	Tire Weight
<a href="#">HF-4</a>	66100-2	67x34.00-26/14	TUBELESS	34	68	40	13200	112	1055

**SKU:** category-samson-logging